

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23144

Stream : White Lick Creek

Applicant : Jeff and Cindy Dunaway
8510 South County Road 800 South
Plainfield, IN 46168

Description : Approximately 560' of the streambank will be protected in order to prevent erosion through the bank to the lake immediately to the west. Approximately 300' of the stream bank is critically eroded and the remaining 260' will require less intensive treatment. Six (6) bendway weirs will be placed in the channel to provide protection. Riprap will be placed along approximately 180' to stabilize a portion of the eroded bank. Also, downed trees will be removed, existing bank material will be sloped back, approximately 3' of quarried riprap will be added to the toe area with 1.5:1 slope, the upper bank will be graded, trees will be anchored and the bank will be seeded to re-establish vegetation. Details of the project are contained in information and plans received at the Division of Water on November 15, 2004, May 11, 2005, May 12, 2005, July 14, 2005, September 9, 2005, and September 12, 2005.

Location : Along the right (west) streambank of White Lick Creek beginning 200' upstream of the County Road 800 South stream crossing and continuing upstream approximately 560'
DOWNSTREAM: near Plainfield, Guilford Township, Hendricks County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 14, T 14N, R 1E, Plainfield Quadrangle
Quad Code: 3908664
UTM Coordinates: Downstream 4388400 North, 552425 East
UPSTREAM:
UTM Coordinates: Upstream 4388550 North, 552525 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23524

Stream : White River

Applicant : Indianapolis Power & Light Co.
Dear Schramm
One Monument Circle
Indianapolis, IN 46204-2936

Description : An approximate 108' x 54' area along the east bank of the White River will be filled to bring the area up to the elevation of the existing Petersburg Generation Station plant, approximately 434', MSL. The fill area will support the heavy equipment necessary to modify the Unit 3 stack. The stack modification is part of a beneficial environmental control project to reduce sulfur dioxide emissions. Metal sheet piling will be used to contain the fill. Details of the project are contained in information and plans received at the Division of Water on September 1, 2005.

Location : East bank of White River, approximately 1 mile downstream of confluence of east and west forks of the White River, near River Mile 49, at IPL's Petersburg Generating Station
near Petersburg, Washington Township, Pike County
SW¼, NE¼, SW¼, Section 12, T 1N, Monroe City Quadrangle
Quad Code: 3808753
UTM Coordinates: Downstream 4264508 North, 477877 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23525

Stream : Sugar Creek

Applicant : Dustin K Davis
1900 North Sugar Creek Trail
Greenfield, IN 46140-7943

Description : A 44' x 80' pole barn will be constructed with 8' x 8' posts. Details of the project are contained in information and plans received at the Division of Water on September 2, 2005.

Location : 1900 North Sugar Creek Trail; approximately 2000' to 2500' west and 250' to 500' south of the intersection County Road 100 West and County Road 200 North
DOWNSTREAM: near Greenfield, Center Township, Hancock County
NW¼, NW¼, NE¼, Section 26, T 16N, R 6E, Greenfield Quadrangle
Quad Code: 3908577
UTM Coordinates: Downstream 4407339 North, 600131 East
UPSTREAM: Hancock County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23526

Stream : Unnamed Tributary
Conneley Ditch

Applicant : Town of Clay City
Roy Chenoweth
800 Front Street
Clay City, IN 47841

Description : As part of an Agreed Order with Indiana Department of Environmental Management, the existing Class I Wastewater Treatment Plant will undergo improvements. A new 12" outfall structure will be constructed. The new headwall structure will be adjacent to the existing effluent sewer headwall for the current plant. Once the new plant is constructed, the existing headwall will be removed. Details of the project are contained in information and plans received at the Division of Water on September 8, 2005.

Location : Approximately 2000' west and 200' south of the intersection of County Road 67 West and State Road 59
near Clay City, Harrison Township, Clay County
NW¼, NE¼, SW¼, Section 30, T 10N, R 6W, Clay City Quadrangle
Quad Code: 3908731
UTM Coordinates: Downstream 4347330 North, 489440 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23527

Stream : Iroquois River

Applicant : Remington Farms. Inc.
Steve Hageman
4745 W US Highway 24
Remington, IN 47977-8720

Description : Approximately 178.5 acres of agricultural and non-agricultural land will be help in perpetual easement by the owner, Remington Farms, Inc. and the Natural Resource Conservation Service for the purpose of wetland restoration and Iroquois River levee repair. Three (3) areas of an existing agricultural levee, each measuring approximately 70' long and 50' to 70' wide, along the right (west) bank of the Iroquois River will be repaired. The levee's original height of 12', top width of 12', and 3:1 sideslopes will be maintained in the reconstructed segments. Details of the project are contained in information and plans received at the Division of Water on September 8, 2005.

Location : Three sites along the west bank of the river beginning approximately 500' east and 250' north of the County Road 700 South stream crossing
DOWNSTREAM: near Rensselaer, Marion Township, Jasper County
SW¼, SW¼, SW¼, Section 35, T 21N, R 7W, Rensselaer Quadrangle
Quad Code: 4008782
UTM Coordinates: Downstream 4528995 North, 483463 East
UPSTREAM:
UTM Coordinates: Upstream 4530469 North, 484597 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23529

Stream : Crooked Creek

Applicant : Gary D Landis
6976 West Georgetown Road
Logansport, IN 46947

Description : Approximately 1064' of channel will be cleared of all brush, trees, and debris. The channel will also be restored to its average width. Details of the project are contained in information and plans received at the Division of Water on September 12, 2005.

Location : Approximately 500' south of creek
near Georgetown, Jefferson Township, Cass County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 34, T 27N, R 1W, Burrows Quadrangle
Quad Code: 4008665
UTM Coordinates: Downstream 4509750 North, 541350 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-23531
- Stream : Brandywine Creek
- Applicant : City of Greenfield
Michael Fruth
Keith J. McClarnon Govt Center
10 South State Street
Greenfield, IN 46140-2329
- Description : The proposed project consists of the installation of 1,212' of 24" sanitary sewer (PVC) and 803' of 10" sanitary sewer (PVC) that travels north from I-70, and then west toward South Highway 9. Additionally 1,805' of 12" ductile iron water line will be installed that roughly follows along the existing access road on site. The 24" PVC pipe parallels Brandywine Creek for the length of the pipe. The pipe is located approximately 150' west of the creek, outside the regulated floodway. The 20' permanent easement is also located outside the regulated floodway, however the 40' temporary easement encroaches on the floodway. The 12" water line and 10" sanitary sewer are both located outside of the regulated floodway. Details of the project are contained in information received electronically at the Division of Water on September 13, 2005.
- Location : The proposed sanitary sewer and water lines begin on the east side of South Highway 9 approximately 1,200' north of I-70. The project then terminates just north of the west-bound off ramp of I-70 with South Highway 9, which is approximately 1,100' east of the centerline of South Highway 9 and 230' north of the centerline of the west-bound travel lanes of I-70
at Greenfield, Center Township, Hancock County
Section 20, T 16N, R 7E, Greenfield Quadrangle
Quad Code: 3908577
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20242

Lake : Skinner Lake

Applicant : William Fred Moore
3360 North Skinner Lake Road West
Albion, IN 46701-9200

Description : A new concrete seawall will be constructed across the applicant's 80' frontage. The lakeward face of the wall will be located along the average normal shoreline. The new wall will replace an existing railroad tie seawall that will be removed. In addition, a 40' x 30' underwater beach will be constructed across 40' of the applicant's 80' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on August 30, 2005.

Location : 3360 North Skinner Lake Road; Lots 20 and 21 of Sunset Beach
near Kendallville, Jefferson Township, Noble County
NE¼, SW¼, SE¼, Section 16, T 34N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4584304 North, 635949 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20250

Lake : Lake Wawasee

Applicant : Jon Storey
PO Box 217
Gas City, IN 46933-0217

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's 50' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 6, 2005.

Location : 9906 Bayshore Drive
at Syracuse, Turkey Creek Township, Kosciusko County
NW¼, NW¼, NE¼, Section 26, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4581439 North, 610245 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20251

Lake : Muncie Lake

Applicant : Thomas L Sherwood
5507 North County Line Road
Huntertown, IN 46748-9363

Description : A new glacial stone seawall will be constructed across 65' of the applicant's 800' frontage. The lakeward face of the wall will be located along the lake's legal normal shoreline. The seawall will be built to a maximum height of 4' at the existing bank. Details of the project are contained in information and plans received at the Division of Water on September 6, 2005.

Location : Along the east shoreline of Muncie Lake approximately 4300' west and 1750' north of the intersection of County Road 50 West and County Road 200 South near Albion, York Township, Noble County
SE¼, NW¼, SE¼, Section 11, T 33N, R 9E, Merriam Quadrangle
Quad Code: 4108534
UTM Coordinates: Downstream 4576115 North, 629826 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20252

Lake : Fox Lake

Applicant : Springfield Ent., Inc
Dan Miller
PO Box 300
Harlan, IN 46743-0300

Description : A new concrete seawall will be constructed across 50' of the applicant's 50' frontage. The lakeward face of the wall will be located along the lake's legal normal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 8, 2005.

Location : 9205 West Fox Lake Road
near Fort Wayne, Pleasant Township, Allen County
SE¼, SE¼, SE¼, Section 28, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4610230 North, 664083 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20253

Lake : Clear Lake

Applicant : Terri F Brodrick
2002 Sycamore Hills Drive
Fort Wayne, IN 46814-9304

Robert M Brodrick
2002 Sycamore Hills Drive
Fort Wayne, IN 46814-9304

Description : An existing underwater beach will be improved in front of the property of the applicant on Clear Lake to prevent further beach erosion. A 2" layer of 7/64" clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 15' west of the southern property line and will extend east across 10' of the 40' frontage. It will project lakeward for the lessor of 40' under the dock and boat area and be on bottom for a depth of .1' or less below the average normal level of the lake bottom. Details of the project are contained in information received electronically at the Division of Water on September 8, 2005.

Location : 40 Lake Drive
near Clear Lake, Clear Lake Township, Steuben County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 19, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4622755 North, 678148 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20254

Lake : Crooked Lake

Applicant : Donald W Roth
2733 Windridge Ct
Fort Wayne, IN 46845-1937

Description : A new concrete seawall will be constructed across 85' of the applicant's 100' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information received electronically at the Division of Water on September 9, 2005 and in plans and information received at the Division of Water on September 13, 2005.

Location : 55 Lane 101A; Lots 50 and 51 on Long Beach
near Angola, Pleasant Township, Steuben County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 9, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4615040 North, 663683 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20255

Lake : Pretty Lake

Applicant : Julia McComb
4009 Estero Boulevard
Fort Meyers, FL 33931

Description : A concrete seawall will be refaced with a layer of concrete across 85' of the applicant's 85' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 12, 2005.

Location : 9325 East County Road 490 South
near Stroh, Milford Township, LaGrange County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 15, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4603418 North, 646143 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20256

Lake : Westler Lake

Applicant : Harold and Joan Short
3005 East CR 300 South
Muncie, IN 47302-9288

Description : A new riprap seawall will be constructed across 55' of the applicant's 75' frontage. Also a 20' x 25' (4" to 5" depth) pea gravel beach and debris removal is proposed. The lakeward face of the wall will be located along the lake's legal/average normal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 12, 2005.

Location : 1135 East 700 South
near LaGrange, Johnson Township, LaGrange County
NE¼, NW¼, NW¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4599975 North, 633250 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20257

Lake : Westler Lake

Applicant : J.Daniel and Carolyn Cregier
418 South 5th Street
Goshen, IN 46526-3926

Description : A new riprap seawall will be constructed across a portion of the applicant's frontage. The riprap will consist of limestone over geotextile fabric at a 1:1 slope. Also, a ramp and a pea gravel beach is proposed. The lakeward face of the wall will be located along the lake's legal/average normal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 12, 2005.

Location : 1115 East 700 South
near LaGrange, Johnson Township, LaGrange County
NE¼, NW¼, NW¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4599975 North, 633250 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20258

Lake : Lake George

Applicant : Martin Maringer
9517 Sugar Mill Drive
Fort Wayne, IN 46835-9608

Description : A concrete seawall will be constructed across the applicant's 47' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. A 12" layer of glacial stone will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on September 13, 2005.

Location : 1300 Lane 301; Nipigon Beach, Lot 2
near Fremont, Jamestown Township, Steuben County
SE¼, SW¼, SE¼, Section 10, T 38N, R 13E, Kinderhook, MI-IN Quadrangle
Quad Code: 4108571
UTM Coordinates: Downstream 4624730 North, 664848 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11